

Accessories flange-heater

Description	Picture	Order-no.
Housing type A ASKOHEAT-F Ø180mm (without operating light)	Arcyca,	007-0230.AD
Housing type B, O, D ASKOHEAT-F Ø180mm (with operating light)	480er.	007-0231.AD
Housing type C ASKOHEAT-F Ø180mm (with operating light & switch)	Alberty Albert	007-0232.AD
Housing type E ASKOHEAT-F Ø180mm (devices with performances <10kW)	Anoest	007-0214.AD
Housing type W ASKOHEAT-F Ø180mm (enclosed housing)	Altoere	007-0233.AD
Housing ASKOHEAT-F Ø240mm	MSSC/I	003-0419
Housing ASKO <i>HEAT-F</i> Ø280mm	Note:	003-0421

www.askoma.com 1138-E 30.09.2021 1/3

Accessories flange-heater

Description	Picture	Order-no.
Setting knob Type A, B, C, D, O (0°28°85°C) Type E (15°60°95°C)		005-1051 007-0144
Temperature control and safety limiter ASKOHEAT-F type A, B, C, D, O, W F2885°C, 110°C, 0.87m		005-1510
Temperature control ASKOHEAT-F type E 156095°C, 0.8m		005-1321
Safety temperature limiter ASKOHEAT-F type E 110°C, 0.87m	B a grant of the state of the s	005-1110
Flange adapter stainless steel from Ø190 to Ø180mm including hexagon socket screws 8 pieces M8x25mm 8 pieces M12x20 mm (details on request)		012-0153
Flange adapter stainless steel from Ø210 to Ø180mm including hexagon socket screws 8 pieces M12x20mm 10 pieces M12x25 mm (details on request)		012-0154
Flange adapter stainless steel from Ø240 to Ø180mm including hexagon socket screws 8 pieces M12x20mm 12 pieces M12x25 mm (details on request)		012-0155

www.askoma.com 1138-E 30.09.2021 2/3

Flange adapter stainless steel

from Ø257 to Ø180mm including hexagon socket screws 8 pieces M12x20mm (details on request)



012-0156

Flange adapter stainless steel from Ø280 to Ø180mm including hexagon socket screws 8 pieces M12x20mm (details on request)



012-0157

Flange adapter stainless steel

from Ø290 to Ø280mm including hexagon socket screws 12 pieces M12x20mm 12 pieces M12x25mm (details upon request)



012-0158

Flange seal EPDM 4mm Shore 90 for flange Ø180mm

A: 172mm B: 150mm C: 115mm G: 14mm (8 holes)

Flange seal EPDM 4mm Shore 70

for flange Ø240mm incl. mounting material

Flange seal EPDM 4mm Shore 70 for flange Ø280mm incl. mounting material

019-0052

007-0235

019-0053

Magnesium protective anode

incl. O-Ring and flange seal Ø 22mm Thread M8x27 Total length 400mm



001-2198C

1138-E 30.09.2021 3/3 www.askoma.com